

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
RAFTSMAN		




Figure 1




Figure 2




Figure 3

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




Figure 4




Figure 5




Figure 6A

APPROVED	O.G. FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	




Figure 6B




Figure 6C




Figure 7

APPROVED BY	O.G. FIG.	
DRAFTSMAN	CLASS	SUBCLASS




Figure 8A

If length $L = 10 \text{ mm}$,




Figure 10B

$\text{radius} > 1 \text{ mm}$
 $0.05 < \text{transmission} < 1.0$




Figure 9A

If length $L = 100 \text{ mm}$,




Figure 10C

$\text{radius} > 2 \text{ mm}$
 $0.01 < \text{transmission} < 1.0$

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




Figure 8B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




Figure 9B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




Figure 10A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIGURE 11A




Figure 11A




Figure 11B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




Figure 12A




Figure 12B




Figure 12C

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




Figure 12D




Figure 12E

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

தமிழ்நாடு தொடர்பு மனை




Figure 13A

APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

200 204 206 208 210 212 216




Figure 13B

APPROVED	O.G. FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	

FIGURE 13C - STANDARD EDITION




Figure 13C

APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

SEARCHED INDEXED
SERIALIZED FILED




Figure 13D

APPROVED BY DRAFTSMAN	O.G. FIG. CLASS SUBCLASS
-----------------------------	----------------------------------




Figure 14A




Figure 14B